



## VAPPRO 825 VCI STRETCH FILM

**NATO STOCK NUMBER:**

6850-32-076-1616

Conforms to MIL-B-81705B Type II

### DESCRIPTION

Vapro 825 VCI Stretch Film is specially developed for Corrosion Protection of ferrous and non-ferrous metals.

Vapro 825 VCI Stretch Film protects metals through vapour action and contact corrosion inhibitors. The VCI vaporizes and then deposits on all metal surfaces, reaching every part of the package, including recessed areas. Sealing your product in Vapro 825 VCI Stretch Film protects metal parts from all types of corrosion including rust, tarnish, stains, water spots, white rust and oxidation. You can now eliminate expensive rust preventatives, processing equipment, and labour cost.

Vapro 825 VCI Stretch Film lets you replace conventional rust preventatives and desiccants. You save even more because Vapro 825 VCI packaging eliminates all the degreasing or coating removal required in the past. It is environmentally acceptable for use and improves health safety, compared with traditional corrosion inhibitors.

### MULTI-METAL PROTECTION

Carbon Steels	EXCELLENT
Copper	EXCELLENT
Stainless Steel	EXCELLENT
Aluminum	EXCELLENT
Zinc	EXCELLENT
Iron	EXCELLENT
Mild Steel, Wrought Iron	EXCELLENT
Aluminum Alloys	GOOD
Copper-Nickel Alloys	GOOD
Galvanized Steel	GOOD
Aluminized Steel	GOOD

#### LEGEND

EXCELLENT	EXCELLENT
GOOD	GOOD
ACCEPTANCE	ACCEPTANCE
POOR	POOR





## FEATURES & BENEFITS

- Does not leave residue on parts
- Does not have to be in contact with metal to protect as the vapours travel to all portions of the enclosure
- Eliminates the need for expensive and messy greasing procedures
- The film is transparent. Your product is visible at all times
- Has no coating of chemicals to flake off, stick to or otherwise damage or soil products
- Rough handling does not impair chemical effectiveness
- Inhibitors will not affect any electrical or mechanical properties of a packaged item
- May be used with neutral or light rust preventative oils method
- No special handling is required
- Has a Shelf life
- Easy inspection and identification of shipping labels/bar codes
- Can be supplied in special sizes and forms to meet specific needs

## METHOD OF APPLICATION


Compatible with commercially available manual and automatic stretch wrapping equipment.

## SHELF LIFE

Shelf Life : 36 months from date of manufacture  
Protection Duration : 24 months

## STANDARD AND CUSTOM SIZES

Standard Dimensions: 500mm x 25um x 152m  
Conforms to MIL-B-81705B Type II specifications.



For more information about the product or any technical support, please contact us or our authorized distributor:



### HEADQUARTERS, SINGAPORE

Magna International Pte Ltd  
10H, Enterprise Road,  
Singapore 629834.  
Tel (65) 6788-1228  
Fax (65) 6785-1497  
Email [info@magnachem.com.sg](mailto:info@magnachem.com.sg)  
Website <http://www.magnachem.com.sg>

### NORTH AMERICA

1450 Government Road West  
Kirkland Lake, Ontario P2N 2E9  
Canada  
Tel 1.416 479 9151  
Fax 1.888 317 1993  
Email [magna@vapro.com](mailto:magna@vapro.com)  
Website: <http://www.vapro.com>



Magna and Vapro are registered trademarks of Magna International Pte Ltd.

Copyright 2007. The details of our products are given completely free of undertaking. Since their application lies outside our control, we cannot accept any liability for the results. User shall determine the suitability of the product for its intended use, and user assumes all risk and liability whatsoever in connection therewith.